



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMÉRISATION DES SPECIMENS TYPES

Cette instruction décrit les modalités de numérisation des spécimens types

	Acteur	Etape
1	Scientifique Conservateur Gestionnaire de collection	Utiliser selon le choix du conservateur la numérisation par : photogrammétrie (Agisoft) focus stacking (Zerene Stacker) Par scanner à lumière structurée
2	Encodeur Gestionnaire de collection Conservateur	Numériser l'étiquette ou les marquages sur la pièces permettant l'identification
3	Encodeur Gestionnaire de collection Conservateur	Numériser le spécimen selon les HOW-TO de chaque technique A) Focus stacking B) Photogrammetry C) Structured light HDI
4	Encodeur Gestionnaire de collection Conservateur	Sauver les données dans l'un des formats demandés
6	Encodeur Gestionnaire de collection Conservateur	Placer le fichier sur virtualcollections.naturalsciences.be si le document est destiné à être publié ou sur MARS si il doit rester privé. Réaliser un copie sur un disque dur de backup long terme.



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

A) Focus stacking

	Acteur	Etape												
1	Scientifique Conseiller Gestionnaire de collection	Before switching on the StackShot Controller by connecting it to the Electrical network, make sure the following steps are ok: <ul style="list-style-type: none">The camera is connected to the Stackshot controller (Shutter cable)The StackShot controller is connected to the StackShot RailThe camera is connected to the PC All ok? Plug in the StackShot Controller												
2	Encodeur Gestionnaire de collection Conseiller	Switch on the camera <ul style="list-style-type: none">Open 'EOS Utility'Select 'Camera settings/Remote Shooting' Now the window appears to select your camera settings etc. Follow further instructions												
3	Encodeur Gestionnaire de collection Conseiller	Switch on the light inside the closet												
4	Encodeur Gestionnaire de collection Conseiller	Switch on 'Live View Shoot' (Bottom left in the EOS Utility window)												
5	Encodeur Gestionnaire de collection Conseiller	Set the Shutter speed on 'BULB' (click on the shutter speed and press ↓)												
6	Encodeur Gestionnaire de collection Conseiller	Set the power of the speed lights: if you use a Grey Background <ul style="list-style-type: none">½ or ¼ for 3x to 5x magnification1/8 to 1/16 for 1x to 3x magnification1/32 or 1/64 for regular macro lenses test if the flash lights work by pressing the remote												
7	Encodeur Gestionnaire de collection Conseiller	Place the specimen in the closet in the centre of the lens												
8	Encodeur Gestionnaire de collection Conseiller	If you use the MP-E 65 mm Macro Photo, set the approx. desired <table><thead><tr><th>Magnification</th><th>Sensor filling size</th></tr></thead><tbody><tr><td>1x</td><td>22.5 mm</td></tr><tr><td>2x</td><td>11.3 mm</td></tr><tr><td>3x</td><td>7.5 mm</td></tr><tr><td>4x</td><td>5.6 mm</td></tr><tr><td>5x</td><td>4.5 mm</td></tr></tbody></table>	Magnification	Sensor filling size	1x	22.5 mm	2x	11.3 mm	3x	7.5 mm	4x	5.6 mm	5x	4.5 mm
Magnification	Sensor filling size													
1x	22.5 mm													
2x	11.3 mm													
3x	7.5 mm													
4x	5.6 mm													
5x	4.5 mm													
9	Encodeur Gestionnaire de collection Conseiller	Make sure that 'Mode: Auto-Dist' is selected on the StackShot controller, if not press 'up' or 'down' on the controller till it appears.												
10	Encodeur Gestionnaire de collection Conseiller	Move the camera up or down by pressing 'Fwd' or 'Back' till the specimen is in-focus (Confirm through Live View in EOS Utility).												
11	Encodeur Gestionnaire de collection Conseiller	Set the distance the camera needs to travel between each picture by pressing 'select' once and 'up' or 'down' to increase or decrease the 'Dist/Step'. Guidelines for the Step Size: <table><thead><tr><th>Magnification</th><th>Step Size</th></tr></thead><tbody><tr><td>1x</td><td>150 µm to 300 µm</td></tr></tbody></table>	Magnification	Step Size	1x	150 µm to 300 µm								
Magnification	Step Size													
1x	150 µm to 300 µm													



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

		<p>2x 120 µm to 200 µm 3x 75 µm to 150 µm 4x 50 µm to 80 µm 5x 30 µm to 60 µm</p> <p>Normally you'll end up with a stack of 15 to 40 pictures for the mean values.</p>
12	Encodeur Gestionnaire de collection Conserveur	<p>Set the appropriate f-stop and speed light power</p> <ul style="list-style-type: none">• 1:1 to 1:10 f/5.6 to f/7.1, flash 1/16 to 1/64• 3x to 5x magnification f/4.0 or f/4.5, flash $\frac{1}{2}$ nd or $\frac{1}{4}$ th• 1x to 3x magnification f/4.5 to f/5.6 flash 1/8 th till 1/16 th• Press test shooting in the Live view window, a new window appears• close the Live View window, otherwise the speed lights won't flash• press the white squared button upper right• alter the f-stop and/or flash power
13	Encodeur Gestionnaire de collection Conserveur	<p>Select the upper most part of the specimen by travelling upwards</p> <ul style="list-style-type: none">• press 'Back' on the controller till the entire specimen is out of focus• press 'Fwd' till a part (the upper most part), is in focus• press 'up' or 'down'• 'Select End Pos' appears
14	Encodeur Gestionnaire de collection Conserveur	<p>Select the most distant part</p> <ul style="list-style-type: none">• Press 'Fwd' on the controller till the entire specimen is out of focus• Press 'Back' till a part (the most distant) is in focus• Press 'up' or 'down'
15	Encodeur Gestionnaire de collection Conserveur	<p>Close Live View window and check again if the speed lights work (press the button of the transmitter on the camera)(Transmitter: TX; Receiver: TRX)</p>
16	Encodeur Gestionnaire de collection Conserveur	<p>Select the folder to save the pictures and make sure you take both RAW and Large pictures if desired.</p>
17	Encodeur Gestionnaire de collection Conserveur	<p>Press the 'Up' or 'Down' button to start the process of taking pictures</p>
18	Encodeur Gestionnaire de collection Conserveur	<p>Open Zerene Stacker (not the safe mode)</p>
19	Encodeur Gestionnaire de collection Conserveur	<p>Press 'ok' on the welcome screen</p>
20	Encodeur Gestionnaire de collection Conserveur	<p>Click 'add files' in the 'File' menu Select all the images in the selected folder press 'add'</p>
21	Encodeur Gestionnaire de collection Conserveur	<p>In the 'Stack' menu select one of the following parameters:</p> <ul style="list-style-type: none">• Align and Stack PMax• Align and Stack DMap• Align and stack both <p>it is possible to stack without aligning by selecting the images in the 'input' window and select 'Stack selected (PMax)' or 'Stack selected (DMap)' in the Stack menu</p>
22	Encodeur Gestionnaire de collection Conserveur	<p>After the stacking process is done, select all the out files and press 'Save output images' in the 'File' menu.</p>
23	Encodeur Gestionnaire de collection Conserveur	<p>Click on 'Show batch dialog' in the Batch menu tab (a new window appears).</p>



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

24	Encodeur Gestionnaire de collection Conserveur	In the Batch Queue window the left part is to select folders and to choose what to do with project files. The right part is to decide how to stack and save the stacked images.
25	Encodeur Gestionnaire de collection Conserveur	LEFT: Click on 'Add Projects and Folders' and select the folders to be stacked (important each folder is one view). Decide to Save the project folders in case of type material.
26	Encodeur Gestionnaire de collection Conserveur	RIGHT: Click on 'Add' and Select 'PMax' and 'DMap' (Align and Stack) and press OK
27	Encodeur Gestionnaire de collection Conserveur	Select 'Save in Source Folders' and Press 'Run all Batches'. You can close the Batch Queue Window.
28	Encodeur Gestionnaire de collection Conserveur	If you want that automatically the name of the folder is saved as name for the stacked image, do as follows: Open the 'Preference' submenu in the 'Options' menu and choose 'Image saving'. Below you find 'Output Image Names' and write the following in the space below: {sourcefolder} ZS {method} Press on 'Apply' and OK
	Trouble Shooting	
	The stack process (picturing) is started, but there aren't any pictures taken by the camera.	<ul style="list-style-type: none">● Check if the shutter cable is well connected to the camera and the stackshot controller● Check if the light of the Stackshot is blinking when a picture should be taken● Check if the 'Live Shoot' from the EOS Utility window is closed
	The stacking process is started, but the flash lights do not respond	<ul style="list-style-type: none">● Check if the 'Live Shoot' from the EOS Utility window is closed● Check if the batteries of the flashes and the transmitter/receiver are charged● Check if the transmitter (Yongnuo RF603CII) is set in TX position and the receiver in TRX position
	The pictures taken fluctuate in light intensity, some are well exposed, others are too dark.	<ul style="list-style-type: none">● The batteries of the flash working in 'Slave-mode' (S1) are low in power. Change batteries, preferably of both flashes.● In case you do not have spare batteries, make the time in between 2 pictures longer (config) to give more time to recharge the batteries.
	Some pictures are black, others are well lit.	<ul style="list-style-type: none">● Check the batteries of the flash with the receiver on it. It is possible the batteries are without power, so recharge them.● It is possible the batteries of the receiver are low.● It is possible that only the transmitter is low on energy, change the batteries of the transmitter or receiver if changing the batteries of the flashes didn't improve.
	During stacking with Zerene stacker, there is a warning that the selected file doesn't contain any pictures.	<p>The folder selected in the batch process is empty.</p> <ul style="list-style-type: none">● Check the other files for the pictures, it is possible that you saved your pictures in another folder while taking pictures. Add the pictures to the empty folder; Remove all successful stacked folders from the list in the batch process and restart it.● It is possible the wrong folder is selected in the batch process. Remove this folder in the list together with the ones that are successfully stacked and add the correct folder and restart the batch process

B) Photogrammetry

	Acteur	Etape
1	Scientifique Conserveur	Make 3 sets of 36 views of the specimen



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

	Gestionnaire de collection	
2	Encodeur Gestionnaire de collection Conserveur	Import picture(s) in Agisoft
3	Encodeur Gestionnaire de collection Conserveur	Mask <ul style="list-style-type: none">• create a mask with photoshop/gimp and use automatic masking if smooth background + check mask• manual masking (lasso or lasso+ctrl)
4	Encodeur Gestionnaire de collection Conserveur	Align picture <ul style="list-style-type: none">• Delete picture with dot out of the point cloud
5	Encodeur Gestionnaire de collection Conserveur	Create dense point cloud
6	Encodeur Gestionnaire de collection Conserveur	Create model <ul style="list-style-type: none">• cleaning the model with the gradual selection or lasso if necessary• close hole if necessary
7	Encodeur Gestionnaire de collection Conserveur	Create texture (4096x4096)
8	Encodeur Gestionnaire de collection Conserveur	Export in the wanted format DAE for Surface and texture for Meshlab and Unity PLY for Surface and texture for Meshlab STL for surface for Meshlab, Gom Inspect and LhP FusionBox



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

C) Structured light HDI

Acteur	Etape
Scientifique Conserveur Gestionnaire de collection	<p>1. Calibration</p> <ul style="list-style-type: none">Depending on the object size, choose camera position.Open FlexScan 3.3, in the tab « scanner », choose « Remove » and delete the previous HDI calibration.Create a new HDI Advance.On the left part of the screen, select cameras. <p>! The first camera is the second on the list !</p> <ul style="list-style-type: none">Position the calibration back-sided (white) and display the focus pattern (right part of the screen). Move the calibration plate until the black cross is approximately in the centre of both cameras.Focus the projector so the focus pattern is sharp.Turn the calibration plate with the checker pattern in front of the camera. Focus the cameras.Place the calibration plate in front of the camera 1 and start capturing the pattern according to the schema. Then do the same with the second camera.Press calibrate. Your calibration coverage should be superior to 65 % otherwise start again.
Encodeur Gestionnaire de collection Conserveur	<p>2. Scanning</p> <ul style="list-style-type: none">Place the object in the centre of the turntable.Display the focus pattern and check the black cross is in the centre of the camera red cross.Take out the object. Place the calibration plate, calibrate the turntable (press « Recalibrate » under the scan menu).Put back your object, check colour texture if required, choose the numbers of scans wished (advice number of scans : 8). Uncheck « automatic combine » and press scan.Unlock the scans and clean if necessary. To clean, select the unwanted part maintaining the Ctrl button pressed and delete.Once cleaned, select the scans and press combine. Once combine hide the model by clicking off the check-box next to the thumbnail.Turn your object on another side and press scan again.Clean and combine.Display the previous rotation by clicking on the check-box next to the thumbnail. With Alt button press, align roughly the two combined scans together and press align.CombineRepeat this operations until having a full model.When your full model is combine, press finalize.Rename the model and export. <p>! Don't forget to fill out the data-sheet next to the scanner, the parameters of the scan!</p>
Encodeur Gestionnaire de collection Conserveur	<p>3. Shortcuts</p> <p>Alt+LMB = rotate selected scan Alt+CMB = Translate selected scan Ctrl+LMB = select parts of the scan</p>



INSTRUCTION DU SERVICE SCIENTIFIQUE DU PATRIMOINE NUMERISATION DES SPECIMENS TYPES

Encodeur
Gestionnaire de collection
Conservateur

4. FAQ

- ***Cameras are not working properly***

Case 1 - Restart computer and unplug/replug the cameras

- 1) Close the software and try to disconnect the power of the cameras, and plug it back in. Restart the software. (You may want to try that several time in a row)
- 2) Restart the computer
- 3) After re-plugging if issue didn't go away, please try case 2.

Case 2 - Reset all the camera settings.

1) Open FlyCap2 > Configure Selected > Advanced Camera Settings > Memory Channel drop down list > select Default, and click on the restore button. From the drop down, then select memory channel 1 > Save. Memory channel 2 > Save.

2) Close this settings Windows. Open FlexScan3D to see if you are still seeing the split issue. Also, it might be good to verify if from FlyCap by opening FlyCap2 > select the camera, and click on "OK". This will generate a live video from FlyCap. If it's not showing up, please go into settings > Trigger / Strobe tab > check the "Enable /Disable Trigger" check box. Check to see if your video is still split in half. If you are seeing a black screen but see the Framerate and the Timestamp running on the left hand side, then please change the aperture on the lens to make it brighter.

3) If you don't see the video splitting in half, then please continue with step 4. Otherwise please skip to case 2.

4) Go to camera settings > set the "Gain" to 0, "Shutter" to 16.66. Uncheck all the check boxes.

5) Go to Advanced camera settings > save these settings to memory channel 1 and 2.

- ***I have combine misaligned scan, can I undo ?***

« Undo » button or Ctrl+Z doesn't work, but you can uncombine and recombine.

! When uncombining, you are not going back to the previous step but all the scan are uncombined !

Tip : Recombine by chunks of the number of scan of your rotation.